## Amendments to the Specification.

Please amend the paragraph on page 5, lines 13-30 to read:

-- The amino-functional silanes or siloxanes, which are reacted with the dialkylpolysiloxanes may be represented by the general formula (I):

$$(QSi(G_a)O_{((3-a)/2)})_xZ_b \qquad (I)$$

wherein G represents the radicals R, OR"; NR'<sub>2</sub>, or OSiR<sub>3</sub> in which R is  $C_1$  -  $C_{18}$  alkyl or  $C_6$  -  $C_{10}$  aryl, R' represents hydrogen or monovalent hydrocarbon radicals having 1 to about 18 carbon atoms, R" is a substituted or unsubstituted divalent  $C_1$  -  $C_{18}$  hydrocarbon radical, a substituted or unsubstituted divalent alkyleneoxy group in which the oxygen provides an ether linkage, or an unsaturated divalent  $C_4$  -  $C_{18}$  hydrocarbon radical; Q-represents the radicals is a radical selected from the group consisting of:

Z is a radical selected from the group consisting of  $R_3$  SiO<sub>0.5</sub>, and  $R'_2$  NR"O<sub>0.5</sub> in which R, R' and R" are the same as above, a is a number having a value of about 0 to about 2; b is a number having a value of about 0 to about 3; and x is a number having a value of about 1 to 20,000. Preferably, R' is hydrogen. --

Please amend the paragraph beginning on page 6, line18 and extending through page 7, line 3 to read:

-- Preferred amino-functional silicones are polymers comprising repeating units represented by the general formula (II):

$$[-Si(R_{(2-p)})(Q_p)O-]_q[-Si(CH_3)_2O-]_y$$
 (II)

wherein Q-represents the radicals is a radical selected from the group consisting of:

$$R'_{2}N-R"-$$
,  $R'_{2}N-R"-N(R')-R"-$  and  $R'_{2}N-R"-O-R"-$ 

R is  $C_1$  -  $C_{18}$  alkyl or  $C_6$  -  $C_{10}$  aryl; R' represents hydrogen or monovalent hydrocarbon radicals having 1 to about 18 carbon atoms; R" is a substituted or unsubstituted divalent  $C_1$  -  $C_{18}$  hydrocarbon radical, a substituted or unsubstituted divalent alkyleneoxy group in which the oxygen provides an ether linkage, or an unsaturated divalent  $C_4$  -  $C_{18}$  hydrocarbon radical; p is number having a value in the range of about 1 to about 2; q is a number having value in the range of about 0 to about 2000; with the proviso that the sum of q and y is at least about 15. --